www.sigmaaldrich.com

Sigma-Aldrich.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.5 Revision Date 15.03.2024 Print Date 24.04.2024 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1 | Product identifiers Product name | : | Ethanol |
|-----|--|---|--|
| | Product Number Brand Index-No. REACH No. CAS-No. | : | 32221-M Sigma-Aldrich 603-002-00-5 01-2119457610-43-XXXX 64-17-5 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

| Company | : | Merck Life Science S.r.l. Via Monte Rosa 93 I-20149 MILANO |
|------------------------------------|---|--|
| Telephone Fax E-mail address | : | +39 02 3341 7340 +39 02 3801 0737 serviziotecnico@merckgroup.com |

1.4 Emergency telephone

| Emergency Phone # | 800-789-767 (CHEMTREC Italia) +39-02-4555-7031 (CHEMTREC chiamat internazionali) +39 02-6610-1029 (Centro Antiveleni Niguarda Ca' Granda - Milano) | te |
|-------------------|--|----|
|-------------------|--|----|

SECTION 2: Hazards identification

| 2.1 | Classification of the substance or mixture | | |
|-----|--|--|--|
| | Flammable liquids, (Category 2) | H225: Highly flammable liquid and vapor. | |
| | | | |

Eye irritation, (Category 2) H319: Causes serious eye irritation.

Sigma-Aldrich- 32221-M

Page 1 of 14

The life science business of Merck operates as MilliporeSigma in the US and Canada



2.2 Label elements

| Labelling according Regulation (EC) No 1272/2008 Pictogram | | |
|--|--|--|
| Signal Word | Danger | |
| Hazard Statements H225 H319 | Highly flammable liquid and vapor. Causes serious eye irritation. | |
| Precautionary Statements P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. | |
| P233 P240 P241 P242 P305 + P351 + P338 | Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use non-sparking tools. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | |
| Supplemental Hazard Statements | none | |

Reduced Labeling (<= 125 ml)

Pictogram Signal Word Danger Hazard Statements none Precautionary Statements none Supplemental Hazard none Statements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Sigma-Aldrich- 32221-M

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 2 of 14

SECTION 3: Composition/information on ingredients

| 3.1 | Substances Synonyms | : Ethyl alcohol | | |
|-----|---|--|--|---------------|
| | Formula Molecular weight CAS-No. EC-No. Index-No. | : C2H6O : 46,07 g/mol : 64-17-5 : 200-578-6 : 603-002-00-5 | | |
| | Component | | Classification | Concentration |
| | ethanol | | | |
| | CAS-No. EC-No. Index-No. | 64-17-5 200-578-6 603-002-00-5 | Flam. Liq. 2; Eye Irrit. 2; H225, H319 Concentration limits: >= 50 %: Eye Irrit. 2A, H319; | <= 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

Sigma-Aldrich- 32221-M

Page 3 of 14

The life science business of Merck operates as MilliporeSigma in the US and Canada



SECTION 5: Firefighting measures

5.1 Extinguishing media

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

- 6.3 Methods and materials for containment and cleaning up Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.
- **6.4 Reference to other sections** For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

Sigma-Aldrich- 32221-M

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 4 of 14

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Hygroscopic.

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

Derived No Effect Level (DNEL)

| Application Area | Routes of | Health effect | Value |
|------------------|--------------|----------------------------|---------------|
| | exposure | | |
| Workers | Inhalation | Long-term systemic effects | 950 mg/m3 |
| Workers | Skin contact | Long-term systemic effects | 343mg/kg BW/d |
| Workers | Ingestion | Long-term systemic effects | 343mg/kg BW/d |
| Workers | Inhalation | Acute local effects | 1900 mg/m3 |

Predicted No Effect Concentration (PNEC)

| Compartment | Value | |
|------------------------|------------|--|
| Soil | 0,63 mg/kg | |
| Sea water | 0,79 mg/l | |
| Fresh water | 0,96 mg/l | |
| Fresh water sediment | 3,6 mg/l | |
| Sewage treatment plant | 580 mg/l | |

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact

Sigma-Aldrich- 32221-M

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 5 of 14

Material: butyl-rubber Minimum layer thickness: 0,7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0,4 mm Break through time: 120 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

required

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

- a) Physical state liquid
- b) Color colorless
- c) Odor alcohol-like
- d) Melting Melting point/freezing point: -114,0 °C at 1.013,25 hPa point/freezing point
- e) Initial boiling point 78,29 °C at 1.013 hPa and boiling range

Sigma-Aldrich- 32221-M

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 6 of 14

| f) | Flammability (solid, gas) | No data available |
|-----|--|---|
| g) | Upper/lower flammability or explosive limits | Upper explosion limit: 27,7 %(V) Lower explosion limit: 3,1 %(V) |
| h) | Flash point | 13 °C - closed cup |
| i) | Autoignition temperature | 363 - 425 °C at 1.013 hPa |
| j) | Decomposition temperature | Distillable in an undecomposed state at normal pressure. |
| k) | рН | 7,0 at 10 g/l at 20 °C |
| I) | Viscosity | Viscosity, kinematic: No data available Viscosity, dynamic: 1,2 mPa.s at 20 °C |
| m) | Water solubility | 1.000 g/l at 20 °C - completely miscible |
| n) | Partition coefficient: n-octanol/water | log Pow: -0,35 at 24 °C - Bioaccumulation is not expected. |
| o) | Vapor pressure | 57,26 hPa at 19,6 °C |
| p) | Density | 0,79 g/cm3 at 20 °C |
| | Relative density | No data available |
| q) | Relative vapor density | No data available |
| r) | Particle characteristics | No data available |
| s) | Explosive properties | No data available |
| t) | Oxidizing properties | none |
| Otl | ner safety informatio | on |
| | Conductivity | < 1 µS/cm |
| | Surface tension | 22,31 mN/m at 20 °C - similar to water |
| | Relative vapor | 1,6 |

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Vapors may form explosive mixture with air.

10.2 Chemical stability

density

The product is chemically stable under standard ambient conditions (room temperature) .

Sigma-Aldrich- 32221-M

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 7 of 14

10.3 Possibility of hazardous reactions

Risk of explosion/exothermic reaction with: hydrogen peroxide perchlorates perchloric acid Nitric acid mercury(II) nitrate permanganic acid Nitriles peroxi compounds Strong oxidizing agents nitrosyl compounds Peroxides sodium Potassium halogen oxides calcium hypochlorite nitrogen dioxide metallic oxides uranium hexafluoride iodides Chlorine Alkali metals Alkaline earth metals alkali oxides Ethylene oxide silver with Nitric acid silver compounds with Ammonia potassium permanganate with conc. sulfuric acid Risk of ignition or formation of inflammable gases or vapours with: halogen-halogen compounds chromium(VI) oxide chromyl chloride Fluorine hydrides Oxides of phosphorus platinum Nitric acid with potassium permanganate

10.4 Conditions to avoid

Warming. Warming.

Sigma-Aldrich- 32221-M

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 8 of 14

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 10.470 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 4 h - 124,7 mg/l - vapor

(OECD Test Guideline 403) Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 24 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye irritation. (OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Methanol

Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

Test Type: dominant lethal test Species: Mouse

Application Route: Oral Method: OECD Test Guideline 478 Result: Positive results were obtained in some in vivo tests.

Sigma-Aldrich- 32221-M

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 9 of 14



Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male - Oral - NOAEL (No observed adverse effect level) - 1.730 mg/kg - LOAEL (Lowest observed adverse effect level) - 3.200 mg/kg

RTECS: KQ6300000

irritant effects, respiratory paralysis, Dizziness, narcosis, inebriation, euphoria, Nausea, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

| Toxicity to fish | flow-through test LC50 - Pimephales promelas (fathead minnow) - 15.300 mg/l - 96 h (US-EPA) |
|---|--|
| Toxicity to daphnia and other aquatic invertebrates | static test LC50 - Ceriodaphnia dubia (water flea) - 5.012 mg/l - 48 h Remarks: (ECHA) |
| Toxicity to algae | static test ErC50 - Chlorella vulgaris (Fresh water algae) - 275 mg/l - 72 h (OECD Test Guideline 201) |
| Toxicity to bacteria | static test IC50 - activated sludge - > 1.000 mg/l - 3 h (OECD Test Guideline 209) |

Sigma-Aldrich- 32221-M

Page 10 of 14

The life science business of Merck operates as MilliporeSigma in the US and Canada



| Toxicity to | semi-static test NOEC - Danio rerio (zebra fish) - 250 mg/l - 120 h |
|------------------------|---|
| fish(Chronic toxicity) | Remarks: (ECHA) |

semi-static test NOEC - Daphnia magna (Water flea) - 9,6 mg/l - 9 d

Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)

12.2 Persistence and degradability

| Biodegradability | aerobic - Exposure time 15 d Result: ca.95 % - Readily biodegradable. (OECD Test Guideline 301E) |
|--------------------|--|
| Biochemical Oxygen | 930 - 1.670 mg/g |
| Demand (BOD) | Remarks: (Lit.) |
| Theoretical oxygen | 2.100 mg/g |
| demand | Remarks: (Lit.) |

Remarks: (ECHA)

12.3 Bioaccumulative potential

Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

No data available

Sigma-Aldrich- 32221-M

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 11 of 14

| SECTION 14: Transport information | |
|-----------------------------------|--|
| IMDG: 1170 | IATA: 1170 |
| | |
|) IMDG: 3 | IATA: 3 |
| IMDG: II | IATA: II |
| IMDG Marine pollutant: no | IATA: no |
| er (D/E) | |
| No data available | |
| | IMDG: 1170 MDG: 3 IMDG: II IMDG Marine pollutant: no er (D/E) |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

National legislation

Seveso III: Directive 2012/18/EU of the P5c FLAMMABLE LIQUIDS European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Full text of H-Statements

H225

Highly flammable liquid and vapor.

Sigma-Aldrich- 32221-M

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 12 of 14



: ethanol

H319 Causes serious eye irritation.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich- 32221-M

The life science business of Merck operates as MilliporeSigma in the US and Canada

A

Page 13 of 14

Sigma-Aldrich- 32221-M

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 14 of 14